

hot VWs **NEW 4-SPEED TRANS**

presents

SAND SPORTS

SAND SPORTS



NEVADA RIDE SPOT:
SAND MOUNTAIN

NOVEMBER/DECEMBER 2008

www.sandsports.net



ROAD TEST:
NEW — HHO
HYDROGEN
GENERATOR



2009
SPORT ATVs

DISPLAY UNTIL 1/20/09

\$4.99 US

1 2 >



TECH:
• **IGNITION SYSTEMS**
• **RACING CLUTCHES**

LOW-DOLLAR
TRAILER BUILDUP



Both highways are considered to be basic freeway driving, having standard inclines and descents.

Results without the HHO system:
Miles: 35.5
Fuel Usage: 2.31 gal.
Mileage: 15.3 mpg

Results with the HHO system:
Miles: 35.7
Fuel Usage: 1.71 gal.
Mileage: 20.8 mpg
The first test shows we obtained an increase of 5.5 mpg.

SECOND TEST: HIGHWAY MILES WITH TRAILER

The next test took us from Lakewood to Littleton, pulling a trailer weighing 6,500-lbs. on Highway C-470. Again, this highway includes basic freeway driving conditions, with some standard inclines and descents.

Results without the HHO system:
Miles: 26.2
Fuel Usage: 3.01 gal.
Mileage: 8.7 mpg

Results with the HHO system:
Miles: 26.4
Fuel Usage: 2.16 gal.
Mileage: 12.2 mpg
The second test shows we obtained an increase of 3.5 mpg.

THIRD TEST: STEEP MOUNTAINOUS MILES W/O TRAILER

The last test took us from Castle Rock to Rampart Range, above Sedalia, on Highway 85 to Highway 67. These driving

conditions were considered steep with switchbacks. Our final destination increased our altitude by 1,000 feet in 26.3 miles.

Results without the HHO system:
Miles: 31.3
Fuel Usage: 2.01 gal.
Mileage: 15.5 mpg

Results with the HHO system:
Miles: 30.7
Fuel Usage: 1.56 gal.

Mileage: 19.6 mpg
The third test shown we obtained an increase of 4.1 mpg.

Unlike a module and controller system, the vehicle computer did not readjust while we were testing the HHO system. Different vehicle makes, model, year, engine size, tire size, air pressure, weather, etc. may also produce variable results. Excessive turbo boost with this system can reduce fuel mileage. The purpose of the test was to use basic driving skills with this hydrogen system to produce better gas mileage between fill ups.

Here are some installation tips to remember when using a hydrogen gas system.

- Hydrogen gas is easily ignited. Caution should always be taken when working with this type of alternative fuel. When connecting the hydrogen generator to 12 volts, we advise using a vehicle power source that utilizes either a time delay shut off or the primary power position on the ignition key. This will prevent the generator from producing hydrogen gas before the engine is started, which can possibly cause a safety concern.

- Hydrogen hates heat. High temperatures can break down the gas and produce vapor rather than hydrogen. Where you install your generator is crucial. We installed ours in front of the radiator where it has plenty of room and receives plenty of cool air. Insulating the hydrogen host feeding the air intake will further maintain the hydrogen's temperature.

Continued on page 96



TOP, after the system is first installed, the generator requires a pre-burn "cocktail" of Pellegrino sparkling water mixed with Aquafina bottled water. This helps the system with the pre-burn procedure. After that, all that's necessary is regular bottled drinking water added to the generator tank every 800 to 1,000 miles. ABOVE, hydrogen is an extremely thin gas that can cause microscopic cracks or fractures in the engine block. So, to prevent this from happening, Xado is added to the engine oil. Xado is an additive that will coat the engine block and eliminate the corrosive effects of hydrogen gas. The result is better performance and extended longevity of the engine block.

DIRTLIGHTS.COM

AFFORDABLE HID

ATV AND UTV HID KITS FROM \$179

INTERNAL AND EXTERNAL BALLAST LIGHTS FROM \$119 602-770-7647



FINANCING AVAILABLE

Hottrails

SANDCARS INC

503-312-5168
Sherwood, Oregon

ULTRALIGHT
LONG TRAVEL
SANDCAR

www.hottrailssandcars.com

FREE CATALOG

METAL WORKING MACHINES

- SHEARS
- BRAKES
- BEADING ROLLS
- SHRINKERS
- NIBBLERS
- SAWS
- PUNCHING

WOODWARD FAB

WOODWARD FAB.COM
800-391-5419

HYDROGEN POWER

Continued from page 81

• The system comes with an amp meter to monitor the draw from your battery. Don't let your system draw more than 20 amps or you may blow the inline fuse.

• Some electrolysis plates require a pre-burn before they produce the optimum amount of hydrogen. This process can take a few hours before they are adequately burned and ready for service. May we recommend the prescribed one-time water cocktail of 2 ounces of Pellegrino sparkling water and the remaining volume of Aquafina (or similar) drinking water? After the burn, all you will need is Aquafina (or another brand of drinking water) every 800 to 1,000 miles.

• One of the reasons generic hydrogen generators don't provide fuel saving effects is due to the mismatch of electrolysis plates to the size of the engine. These plates need to be the right size to match the number of liters the displaced by the engine. Slightly larger or smaller plates can result in a deficiency of fuel economy. Make sure to install the right size generator for your engine.

• Hydrogen is an extremely thin gas which can cause microscopic cracks or fractures in the engine block. To prevent this from happening, Xado (an engine block coating) is added to the engine oil in order to coat the block, preventing this destructive effect from occurring. The result is better performance and the extended longevity of your engine block. The application will last approximately 100,000 miles.


It is my opinion that Umpqua Energy produces one of the few efficient hydrogen generators on the market today and, by installing their system, recreationists can expect gas saving results shortly after the installation is complete. Their research in this technology and understanding electrolysis, hydrogen and the resulting impact to the engine is exceptional.

Using this system in conjunction with a module and controller can potentially produce increased fuel mileage results. What this means to the sand sports enthusiast is a reduced use of fuel. Although we experienced better results without towing, it is noted that there was still a recognizable increase in mileage while pulling a trailer. Beyond the fuel economy, we experienced an increase of approximately 15% in engine power. With the introduction of hydrogen to the engine, fuel emissions become virtually nonexistent. Every little bit counts when you're trying to get to the dunes!

For more information on Umpqua Energy, visit www.umpquaenergy.com or call (541) 225-2493. To contact H&M Transmission, either visit them on-line at www.hmtransmission.com, or call (303) 663-5578.

SAND SPORTS

Get Framed!



Your favorite Hot VWs article is now available as an official framed reprint, directly from Wright Publishing.

These professionally mounted reprints feature contrasting matting, and the Hot VWs certificate of authenticity.



Reprints are available in a wide variety of configurations, with or without the issue cover.

Prices start at \$99.98
(plus shipping for a framed 1-Page reprint)

For Custom Ordering Information Call:
(714) 979-2560 extension 110

VISA/MASTERCARD ACCEPTED!
(Currently available from January 2002)

